NASA Technical Memorandum 104455

1N:50 20349 88

Nuclear Rocket Propulsion NASA Plans and Progress—FY 1991

(NACA-18-10440) AUGLEAR POCKET PROPULSION.
NAUA MEANS AND PROGRESS, FY 1991 (NASA)
OFF COCK 21H

127-25179

Unclas 63/20 0020349

John S. Clark and Thomas J. Miller Lewis Research Center Cleveland, Ohio

Prepared for the
26th Intersociety Energy Conversion Engineering Conference
cosponsored by the ANS, SAE, ACS, AIAA, ASME, IEEE, and AIChE
Boston, Massachusetts, August 4-9, 1991



	2		
			•
			•
			•
			e

NUCLEAR ROCKET PROPULSION NASA Plans and Progress - FY 1991

by

John S. Clark and Thomas J. Miller NASA Lewis Research Center Cleveland, OH 44135

ABSTRACT

for a has initiated planning technology development project for nuclear rocket propulsion systems for Space Exploration Initiative (SEI) human and robotic missions to the Moon and to Mars. An Interagency project is underway that includes the Department of Energy National nuclear technology Laboratories for This paper summarizes the development. activities of the project planning team in FY 1990 and FY 1991, discusses the progress to date, and reviews the project plan.

Critical technology issues have been identified and include:

- Nuclear fuel temperature, life, and reliability
- Nuclear system ground test
- Safety
- Autonomous system operation and health monitoring
- Minimum mass and high specific impulse

NEP AND NTP WORKSHOPS

In June and July, 1990, NASA sponsored workshops on Nuclear Electric Propulsion (NEP) [1] and Nuclear Thermal Propulsion (NTP) [2], respectively. Many nuclear propulsion concepts were presented. The concepts were compared with a reference system [3] (Table 1) for the manned mission to Mars in 2016, to identify technology development requirements and facility requirements for the concept, and to estimate a development schedule and cost. Panels of technical experts assessed the concepts [4] based on:

- potential mission benefit
 (performance)
- safety
- technology needs and risk
- development schedule and

Figure 1 is a schematic diagram of a nuclear electric vehicle with the reactor (R) and shield (S) on the left, and payload and thrusters on the right, with radiators, power conversion and power conditioning equipment in between. A relatively clean

interface exists between the power generation sub-systems and the propulsion (thruster) sub-systems. The electrical power is used to accelerate ions or other sub-atomic particles, resulting in continuous low thrust.

Table 2 lists the concepts presented at the NEP workshop. Ten power concepts and nine propulsion concepts were presented. Solid and gaseous fuel nuclear reactors were included, with both liquid metal and gas cooling. Thermal-to-electric power conversion included dynamic (Rankine, Brayton) and static (thermionic, HYTEC). Propulsion concepts included steady state and pulsed electromagnetic engines, a pulsed electrothermal engine, and a steady state electrostatic engine.

Figure 2 is a schematic diagram of a solid core nuclear thermal engine. Hydrogen is heated inside the reactor core and expanded through the nozzle to produce thrust. Table 3 summarizes the concepts presented at the NTP workshop. Nine solid core concepts were presented including: homogeneous thermal - NERVA (the reference concept - circa 1970), an upgraded NERVA - ENABLER; a heterogeneous reactor - the particle bed; and fast reactors - cermet and wire core. Liquid core concepts and gaseous core concepts were also presented. A NIMF concept was presented that used insitu propellant (CO₂), and dual mode concepts were presented.

The technical panels reported to an Interagency Steering Committee, and their recommendations formed the basis for the FY 1991 plans for the project:

- Develop a consistant basis for comparing nuclear propulsion concepts
- (2) Assess facility requirements
- (3) Prepare draft safety policy
- (4) Optimize missions for nuclear propulsion
- (5) Develop Interagency Agreements
- (6) Complete and approve Project Plan
- (7) Prepare initial SOW's
- (8) Initiate public acceptance planning

FY 1991 ACTIVITIES

Interagency project teams were formed in FY 1991 to act upon these recommendations, to continue to improve the project plans and to initiate some critical technology development, in spite of very limited funding for the project in FY 1991. Teams were formed in each of the following areas:

- Mission Analysis
- NTP Technology
- NEP Technology
- Nuclear Fuels and Materials Technology
- Nuclear Safety
- Test Facilities

Figure 3 presents a plan for the FY 1991 panel activities. The Nuclear Safety Policy Working Group is reviewing NASA and Department of Energy safety policy and will recommend an appropriate Interagency policy for the Project. Some of the issues that are being addressed include:

- astronaut-rating requirements
- inadvertant reentry (subcriticality, impact)
- redundancy requirements
- probabalistic risk
- fission product release
- operational safety
 - ground testing
 - launch
- reactor startup and flight
- safety validation requirements
- disposal criteria

The Mission Analysis team is developing consistent nuclear propulsion reference scenarios, assessing mission operations and abort scenarios, and quantifying the benefits of expected nuclear propulsion mission options.

The NTP technology Panel is preparing test and development needs for a wide range of NTP concepts, to provide guidance for the technology development plan. The NTP Technology Panel is also evaluating the NTP concepts based on a consistent set of technology levels: solid fuel temperatures of 2700 K, 2900 K, 3100 K, for example, and appropriate projections of liquid and gas core temperatures from 4000 to perhaps as high as 15,000 K. A consistent set of non-nuclear technologies will be included for pumps, nozzles, shielding, and so forth, in order to fairly compare the concepts for the SEI missions. Proof-of-Concept (POC) experiments will be defined for the more innovative, high pay-off concepts, and a portion of the project funding is planned to continue to evaluate and develop these high performance systems.

An NEP Technology Panel will also use common ground rules and assumptions for an initial comparison of system-level options and combinations of reactor types and thrusters. Instrumentation, neutronics and controls technologies are included in both

the NTP and the NEP panels, and will be incorporated in the systems development from the inception.

Similarly, a Nuclear Fuels and Materials Technology Panel is assessing fuels and materials development plans. Fuels development was agreed to be one of the most important technologies to be developed, and will be a major focus of the effort early in the program.

The Test Facilities Planning Team has reviewed test requirements provided by the technology panels, evaluated existing facility capabilities, and will recommend facility modifications and new facility requirements. Reactor and thruster facilities will be required for the NEP technology development. A nuclear furnace (a facility to test reactor elements in a nuclear, hydrogen-cooled environment), a full reactor test facility, and a full NTP system (including tank, pumps, nozzle, reactor and control systems) will be required for NTP development. A full effluent cleanup system will be required for these facilities to ensure negligible environmental impact at the test site.

NUCLEAR PROPULSION PROJECT PLAN

A draft Project Plan was prepared in parallel with the workshops in FY 1990, has been updated in FY 1991 with the input from the technical panels and working groups, and is currently proceeding through the Interagency approval cycle. In parallel, Memoranda of Agreements are proceeding between the agencies that will define management policies and procedures. The project plan (Figures 4 and 5) includes evolutionary technology development for both nuclear electric propulsion systems and nuclear thermal propulsion systems.

The NEP development uses the SP-100 technology, being developed for spacecraft power (and may be applied to Lunar and Mars surface nuclear power), as a foundation from which to develop more powerful, lighter systems for interplanetary probes, lunar and Mars cargo vehicles, and lunar and Mars human-piloted vehicles.

Similarly, the NTP technology development plan utilizes the substantial NERVA data base developed in the 1960's and early 1970's for solid core thermal reactors, and includes other advanced concepts with improved nuclear fuels to permit higher operating temperatures and longer life, and ultimately, to upgrade the system to liquid or gaseous core concepts. Thus, a logical, step-wise evolutionary project is planned that will have systems ready for initial unmanned lunar system flights by about 2010, will include robotic lunar missions to gain operational experience prior to manned flight, and will then proceed to manned lunar missions to simulate a full-

up Mars mission, except in respect to the distance from the Earth. Mars robotic missions are planned to begin in about 2012, with the first manned Mars mission in about 2016. Innovative technology development is included in the project plan to ensure that system upgrades can evolve that will result in shorter trip times or improved payload capabilities.

A significant effort is planned to foster nuclear SEI acceptance for propulsion systems. The major technology development activities will be guided by conceptual design and systems engineering studies. Thus, technology tasks will be focussed on appropriate development leading improved components and systems. Innovative concepts will be included in the plan to ensure that advanced concepts are developed in a timely manner for second or third generation nuclear systems. but certainly not least, safety, quality assurance, reliability, risk management and environmental concerns will be included as a major component of each task in the project.

SUMMARY

In summary, a nuclear propulsion program is underway at NASA, with significant DOE nuclear technology development, to provide a nuclear vehicle for SEI Lunar and Mars missions. The project includes both NTP and NEP systems, and is evolutionary. A significant NTP technology base exists from the NERVA program; no major engineering hurdles remain for nuclear thermal propulsion systems. More development will be required for nuclear electric systems, especially for manned NEP systems to be competitive based on trip time, but NEP offers long-term advantages because of its inherent high specific impulse. Innovative concepts will also be studied to provide even faster trip times and cost advantages.

ACKNOWLEDGEMENTS

The authors wish to acknowledge the guidance and support provided (on a non-reimbursed basis) by the technical panels and working groups in 1991. Their input in the planning process has been most helpful, their enthusiasm for nuclear propulsion is contagious, and the friendships that have developed, we hope will be long-lasting.

REFERENCES

- [1] J.W. Barnett, "Proceedings of the NASA/DOE/DOD Nuclear Electric Propulsion Workshop," held in Pasadena, CA, June 19-22, 1990, JPL CP-____, 1991
- [2] J.S. Clark, "Proceedings of the NASA/DOE/DOD Nuclear Thermal Propulsion Workshop," held in Cleveland, OH, July 10-12, 1990, NASA CP-____, 1991

- [3] T. J. Miller, J.S. Clark, and J.W. Barnett, "Nuclear Propulsion Project Workshop Summary," AIP CONF- 910116, Proc. Eighth Symposia on Space Nuclear Power Systems, Part I, pp. 84-92, Jan., 1991
- [4] J.S. Clark, "A Comparison of Nuclear Thermal Propulsion Concepts: Results of a Workshop," AIP CONF-910116, Proc. Eighth Symposia on Space Nuclear Power Systems, Part II, pp. 740-748, Jan., 1991

TABLE 1.- NUCLEAR PROPULSION WORKSHOP REFERENCE SYSTEM

MISSION:

MANNED MISSION TO MARS
LAUNCH IN 2016
ENGINE AVAILABLE IN 2015
OUTBOUND MASS - 124 mt
DEPLOYMENT ORBIT: SSF, 407 km
RETURN MASS - 40 mt
< 600 DAY MISSION
30 DAY STAY ON MARS
< 5 REM/YR - REACTOR TO CREW

NTP SYSTEM (NERVA-1970):

THRUST: 75,000 Ib (334 kN)
SINGLE ENGINE
REACTOR THERMAL POWER: 1500 MW
T/W (w/o SHIELDING): 4
SPECIFIC IMPULSE: 850 SECONDS
NOZZLE: 100:1
SINGLE TRIP
REACTOR OPERATING TIME: 2 HR.
STARTUP CYCLES: 6
MISSION DURATION: 434 DAYS

NEP SYSTEM:

POWER: 10 MWe SPECIFIC MASS: < 10 kg/kWe NO. OF MISSIONS: 3 STARTING CYCLES: 15 MISSION DURATION: 550 DAYS

ION THRUSTER:

SPECIFIC IMPULSE: 6000 SECONDS EFFICIENCY: 50% LIFE: 10,000 HOURS

POWER CONVERSION SYSTEM:
POTASSIUM RANKINE

POWER PROCESSING UNIT: EFFICIENCY: 95% TEMPERATURE: 600 K

TABLE 2.- NEP CONCEPTS PRESENTED TO THE NEP WORKSHOP

Organization Focal Point General Electric P. Pluta Westinghouse B. Pierce Brookhaven Nat'l. Lab. J. Powell U. of New Mexico M. El-Genk Livermore Nat'i. Lab. C. Walter Rocketdyne J. Mills Pacific Northwest Lab. B. Reid General Atomics T. Van Hagan U. of Florida N. Diaz Ohio State U. P. Turchi Pacific Northwest Lab. B. Johnson

Concept

SP-100 Scale-up ENABLER (NERVA-based) Particle Bed Reactor Pellet Bed Reactor

10 MWe Nuclear Rankine System Potassium Rankine System TORCHLITE (Thermionic System) In-core Thermionic System Vapor Core Reactor NEPTUNE (NERVA-based) RMBLR*

PROPULSION CONCEPTS

T. Karras

C. Dailey

F. Chang-Diaz

Organization Focal Point Sverdrup/LeRC R. Myers Ohio State U. P. Turchi Cheng Technologies D. Cheng General Atomics R. Bourque U. of Illinois R. Burton Hughes J. Beattie J. Sercel JPL

TRW

MPD Thruster NEPTUNE (NERVA-based) **Deflagration Thruster** Pulsed Plasmoid Thruster Pulsed Electrothermal Thruster ion Engine Electron Cyclotron Resonance Ion Cyclotron Resonance General Electric Pulsed Inductive Thruster Variable Isp Plasma Rocket* NASA/JSC

Concept

. Submitted after the Workshop

TABLE 3.- COMPARISON OF NTP WORKSHOP RESULTS

			PERFORMANCE PARAMETERS				
CONCEPT:	CO./CFP	TRL	Isp (Sec)	TRIP TIME, (DAYS)	IMLEO, (Kib)	FUEL	TEMP.
SOLID CORE:							
NERVA BASELINE*		6	825-850	434	884	DUPLEX	2270
ENABLER	W/FARBMAN	4-5	925-1080	1	713	UC-ZrC-C	2700-3300
CERMET'	GE/KRUGER	4-5	832			UO2/W	-
WIRE CORE	RI/HARTY	2	930	ŀ		UN/W	3 030
ADV. DUMBO	LANL/KIRK	3-4	-	'		UC/ZrC	2700-3300
PELLET BED	NM/EL-GENK	3	998			UC/TaC	3100
PARTICLE BED	BNL/LUDEWIG	4	1000-1200	434	660	UC/ZrC	3000-3500
LOW PRESSURE	INEL/RAMS.	1-2	1050-1210		814-534	UC/ZrC	3000-3600
FOIL REACTOR	SNLWRIGHT	1-2	9 90		992	UO2	2700/3400
LIQUID CORE:							
LIQUID ANNULUS	BNL/LUDEWIG	1	1600-2000			?	3000-5000
DROPLET CORE	FLIANGHAIE	1-2	1500-3000	<200	600	?	5000-7000
GASEOUS CORE:							
OPEN CYCLE	SV/RAGSDALE	1-2	5200	60-80		U PLASMA	?
VAPOR CORE	FL/DIAZ	1-2	1280	310	Ì	UF4-HIC	6000-8000
LITE BULB	UTRC/LATHAM	1-2	1870			?	7200
OTHER CONCEPTS:	MM/ZUBRIN	1	283	_	50% LESS	Th/UO2/Zr	2800
DUAL-MODE	+	+	+	+	+	+	+

^{* - 1960&#}x27;S TECHNOLOGY

^{@ -} INSITU RESOURCE UTILIZATION CONCEPT

^{+ -} SEVERAL SPEAKERS ADDRESSED DUAL MODE CONCEPTS

FIGURE 1.- NEP VEHICLE/SYSTEM SCHEMATIC





FIGURE 2.- NTP SOLID CORE SCHEMATIC DIAGRAM






FIGURE 4.- NUCLEAR PROPULSION PROJECT IS EVOLUTIONARY





FIGURE 5.- NUCLEAR PROPULSION PROJECT OVERVIEW



National Aeronautics and Space Administration	R	Report Docume	entation Page	9	
. Report No. NASA TM - 104455	· .	2. Government Accessio	n No.	3. Recipient's Catalog	No.
i. Title and Subtitle		1		5. Report Date	-
Nuclear Rocket Prop	ulsion				
NASA Plans and Progres	ss—FY 1991			6. Performing Organi:	zation Code
'. Author(s)				8. Performing Organi:	zation Report No.
John S. Clark and Thomas J. Miller			E-6296		
				10. Work Unit No.	
				593-71	
Performing Organization N				11. Contract or Grant I	 No.
National Aeronautics Lewis Research Cent	-	istration			
Cleveland, Ohio 441					
,				13. Type of Report and	d Period Covered
2. Sponsoring Agency Name				Technical Men	norandum
National Aeronautics	-	ist r ation		14. Sponsoring Agenc	v Code
Washington, D.C. 20	0546-0001			opensoring agenc	, 500
Prepared for the 26th					
AIAA, ASME, IEEE (216) 977-7090. Abstract NASA has initiated p Exploration Initiative way that includes the summarizes the activ reviews the project p — Nuclea — Nuclea — Safety — Autono	planning for a technic (SEI) human and r Department of Ene ities of the project p lan. Critical technor fuel temperature, r system ground tes	ology development probotic missions to the ergy National Laborate planning team in FY ology issues have been life, and reliability st	roject for nuclear roge Moon and to Mars tories for nuclear tec 1990 and FY 1991, on identified and inclu	cket propulsion synthesis. An Interagency chnology developmediscusses the programme of the control of the contr	stems for Space project is under-nent. This paper
Prepared for the 26th AIAA, ASME, IEEE (216) 977-7090. Abstract NASA has initiated p Exploration Initiative way that includes the summarizes the activ reviews the project p — Nuclea — Nuclea — Safety — Autono	planning for a technic (SEI) human and r Department of Ene ities of the project p lan. Critical techno r fuel temperature, r system ground tes mous system opera um mass and high s	ology development probotic missions to the ergy National Laborate planning team in FY ology issues have been life, and reliability st	roject for nuclear roce Moon and to Mars tories for nuclear techniques and FY 1991, on identified and inclusioning	cket propulsion system of the propulsion system of the propulsion system of the programme o	stems for Space project is under-nent. This paper
Prepared for the 26th AIAA, ASME, IEEE (216) 977-7090. Abstract NASA has initiated pexploration Initiative way that includes the summarizes the active reviews the project period of the summarizes of the summa	planning for a technic (SEI) human and r Department of Ene ities of the project p lan. Critical techno r fuel temperature, r system ground tes mous system opera um mass and high s Author(s))	ology development probotic missions to the ergy National Laborate planning team in FY ology issues have been life, and reliability st	roject for nuclear roce Moon and to Mars tories for nuclear technical for identified and inclusioning 18. Distribution Statemer Unclassified Subject Cate	cket propulsion systematics. An Interagency chnology developmediscusses the prograde: - Unlimited	stems for Space project is under-nent. This paper

	•	
•		
•		
		•
•		